



TAKE DOWN GARDEN SPRAY

- Dormant and growing season insect spray.
- Provides broad spectrum control.
- Kills all stages of insects, including eggs.
- Does not persist for long periods in the environment.
- Insecticide from plants for plants.

Active Ingredients:

Pyrethrins	0.5%
Canola Oil	89.5%
Inert Ingredients:	10.0%
Total	100.0%

This product contains 6.875 lbs. of canola oil and 0.038 lbs. of pyrethrins per gallon.

Patent Pending
Sold under a license of W. Neudorff GmbH KG, Germany.

EPA Reg. No. 67702-5-54705 EPA Est. No. 48498-CA-1

NET CONTENTS: _____

Manufactured for:

LAWN AND GARDEN PRODUCTS, INC.

P. O. Box 35000 • Fresno, CA 93745 • (559) 499-2100
www.montereylawnandgarden.com

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID	
IF ON SKIN:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 - 20 minutes. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor or going for treatment.	

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Get medical attention if irritation persists. If on clothing, remove and wash items affected.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water or to intertidal areas below the high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Please read entire label. Use only as directed. SHAKE WELL BEFORE EACH USE.

Thoroughly wet all parts of the pests and plants. Repeat treatment in 1-2 weeks if necessary. May be used on edible crops up to and including day of harvest.

DIRECTIONS FOR MIXING

For 1% solution, mix 2 teaspoons of concentrate with 1 quart water (or 1 oz. concentrate with 3 quarts water). For 2% solution, mix 4 teaspoons of concentrate with 1 quart water (or 2 fluid oz. concentrate with 3 quarts water). Shake well before each use and stir or shake diluted spray frequently during use.

PESTS/SITES AND APPLICATION INSTRUCTIONS

TAKE DOWN GARDEN SPRAY will control insect pests such as: aphids, beetles (e.g., Colorado potato beetle, flea beetle, Japanese beetle, asparagus beetle), caterpillars (e.g., gypsy moth caterpillar, tent caterpillar, diamondback moth larvae, leafroller), ants, mealybugs, mites, leafhoppers, scale, whitefly, adelgids, plant bugs, fungus gnats, thrips, sawfly larvae, psyllids, spittlebugs, and phylloxera.

Apply at a rate of 1% or 2% solution. For soft-bodied pests such as aphids and mites, a 1% solution is sufficient.

Using hand-held trigger sprayers, hand sprayers or backpack sprayers, thoroughly spray insect pests with diluted product until plants are wet. Repeat treatment in 1 - 2 weeks if needed.

For use indoors, outdoors and in greenhouses on fruit and nut trees (e.g., apples, cherries, peaches, pears, nuts); flowering, foliage and bedding plants; melons; tomatoes; vegetables (e.g., beans, cabbage, cucurbits, peas, potatoes); figs; small fruits (e.g., grapes, strawberry, raspberry); citrus; ornamental and shade trees (e.g., birch, evergreens, holly, oak); houseplants.

DIRECTIONS FOR DORMANT USE

Controls egg stages of pests present in dormant season and scale insects, mites and mealybugs on dormant shrubs (e.g., roses), evergreens, woody plants, fruit trees and shade trees. For dormant use, apply a 2% solution. Thoroughly wet the dormant plants or trees.

USE PRECAUTIONS

Oil removes the glaucous (blue) bloom from such evergreens as Colorado blue spruce and Koster spruce. Use a 1% solution on oil sensitive plants such as: Chamaecyparis, Cryptomeria, Japanese Holly, Red Cedar and Smoke Tree. Use caution on blooms and buds. If concerned about sensitivity of plants, test spray a portion of the plant and wait several days to determine if burn occurs before spraying larger areas.

DO NOT combine with sulfur and DO NOT follow a previous application of sulfur or apply sulfur following an application of this material until sufficient time has elapsed for safety (at least 30 days).

When used in combination with or immediately before or after spraying, this product may increase the phytotoxicity of fungicides such as Captan or copper compounds. If in doubt, treat a small area with a combination spray and wait several days to determine if burn occurs.

DO NOT use TAKE DOWN GARDEN SPRAY when temperatures are above 90°F. When temperatures drop below 32°F during the night, DO NOT spray tree and vine crops until daytime temperatures have warmed to a point above 35°F and crops are free from moisture due to melting frost or heavy dews.

Use of TAKE DOWN GARDEN SPRAY on citrus after October 1 may increase the tree's susceptibility to cold damage.

STORAGE AND DISPOSAL

STORAGE: Store this product in its original container and keep in a secure storage area out of reach of children and domestic animals.

DISPOSAL: Do not reuse container. Securely wrap original container in several layers of newspaper and discard in trash.

NOTICE TO BUYER

Seller warrants that this product conforms to the chemical description on this label and is reasonably fit for purposes stated on this label only when used in accordance with directions under normal use conditions. This warranty does not extend to use of this product contrary to label directions, or under abnormal use conditions, or under conditions not reasonably foreseeable to seller. Buyer assumes all risk of any such use. Seller makes no other warranties, either expressed or implied.