



GRASS GETTER

Postemergence Grass Herbicide

- For homeowner use on and around Flowers, Evergreens, Ornamental Groundcovers, Bedding Plants, Shrubs, Trees, Fruits*, Vegetables* (*See crop table list).
- Systemic selective herbicide kills weedy grasses without injuring desirable plants.
- Controls: Bermudagrass, crabgrass, foxtails, quackgrass and many other weedy grasses.

ACTIVE INGREDIENT

Sethoxydim: 2-[1-(ethoxyimino) butyl]5-[2-(ethylthio)propyl]-3-hydroxy-2-cyclohexen-1-one** 18%

INERT INGREDIENTS 82%
TOTAL 100%

**Equivalent to 1.5 pounds sethoxydim per gallon

EPA Reg. No. 7969-58-54705

EPA Est. No. 48498-CA-1

Manufactured for:

Lawn and Garden Products, Inc.

P.O. Box 35000 • Fresno, CA 93745 • (559) 499-2100

www.montereylawngarden.com

KEEP OUT OF REACH OF CHILDREN WARNING/AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

Statement of Practical Treatment

If in eyes: Immediately wash eyes with running water for 15 minutes. If irritation develops, consult a physician.

If on skin: Wash affected areas with soap and water. If irritation develops, consult a physician.

If swallowed: DO NOT INDUCE VOMITING. Dilute with water and get immediate medical attention. Never give fluids or induce vomiting if the victim is unconscious or having convulsions.

If inhaled: Move to fresh air. Aid in breathing, if necessary, and get immediate medical attention.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

Warning: Causes substantial but temporary eye injury. Do not get into eyes or on clothing. Harmful if swallowed.

Reentry Statement

Do not allow people or pets to come into contact with treated areas until spray has dried.

PERSONAL PROTECTIVE EQUIPMENT

Some materials that are chemically resistant to this product are listed below. If you want more options follow the instructions for category G on an EPA chemical resistance category selection chart.

Applicators and other handlers must wear:

- Coveralls over short-sleeved shirt and short pants
- Chemical-resistant gloves, such as barrier laminate, or viton ≥ 14 mils
- Chemical-resistant footwear plus socks
- Protective eyewear
- Chemical resistant apron when cleaning equipment, mixing, and loading

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not re-use them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic organisms. For terrestrial uses, do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

ENDANGERED SPECIES CONCERNS

The use of any pesticide in a manner that may kill or otherwise harm an endangered or threatened species or adversely modify their habitat is a violation of Federal Law.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation. READ ENTIRE LABEL FOR DIRECTIONS FOR USE AND PRECAUTIONARY STATEMENTS.

GRASS GETTER is a selective systemic grass killer to eliminate existing weedy grasses growing in and around plant beds, landscapes, and individual shrubs and trees. (See appendix for listing). It can be used through a hose-end sprayer according to the directions of the sprayers being used or through a tank-type sprayer.

GRASS GETTER can also be used around listed fruit and vegetable areas (see Fruit and Vegetable Table) wherever listed weedy grasses occur. Use only tank type sprayers.

WEEDY GRASSES CONTROLLED: GRASS GETTER kills most annual and hard-to-kill perennial grasses up to 1 foot high including the examples listed below in one (or two) application(s). Younger, actively growing seedling weeds are more easily killed than older, mature, well-established grassy weeds which may require a repeat application for control. Adding oil concentrate may help control of grassy weeds.*

Barnyardgrass	Orchardgrass, Seedling
Bermudagrass	Quackgrass
Broadleaf Signalgrass	Tall Fescue, Seedling
Crabgrass (Large, Smooth)	Texas Panicum
Fall Panicum	Shattercane/Wildcane
Foxtails (Giant, Green, Yellow)	Wild Proso Millet
Goosegrass	Wirestem Muhly
Johnsongrass (Seedling, Rhizome)	Witchgrass
Junglerice	Woolly cupgrass
Lovegrass	

Note: This product does not control sedges (including nutsedge or nutgrass), annual bluegrass, or broadleaf weeds. Red fescue, chewings fescue, hard fescue, and dichondra turfs are also tolerant of GRASS GETTER.

WHEN TO APPLY: Apply any time grassy weeds are actively growing, not exceeding the minimum of days from application to harvest when used on vegetables and fruits. Warm sunny weather will accelerate systemic movement from leaves and stems down to the roots to give complete kill. Do not mow or cut off tops of weeds before spraying. Do not apply if rainfall is expected within one hour following application. Growth of treated grasses stops soon after application. They turn yellow and die within one to three weeks depending on the grass species, stage of growth and weather conditions. Cool weather, drought and heat stress slow activity.

HOW TO APPLY WITH HOSE-END SPRAYERS

A. No Water Dilution/Premixing Needed.

Determine how much area is to be treated in square feet. Pour 1 fluid ounce of GRASS GETTER and 1 fluid ounce of oil concentrate in the hose-end sprayer bottle for each 1800 square feet to be treated. Set the sprayer dial to apply as close to 1 fluid ounce per gallon as possible. After application, wash the sprayer with a dilute soap solution and rinse according to the sprayer instructions.

B. Water Dilution/Premixing Needed.

Some hose-end applicators recommend that liquid products be premixed with water before pouring into the sprayer bottle. Read the hose-end sprayer instructions for making treatments at 1 fluid ounce per 1800 square feet. Clean the sprayer after use according to the sprayer instructions.

WITH TANK SPRAYERS:

Mix 1 fluid ounce of GRASS GETTER plus 1 fluid ounce of oil concentrate per 1 gallon of water and spray to just wet the unwanted weedy grasses. One gallon of spray will treat 1800 square feet of area. Wash sprayer by flushing soapy water and then clean water through the sprayer.

IMPORTANT: For spot treating grassy weeds near lawns and around any sensitive plants, a tank type sprayer is recommended. Spray carefully to avoid spray or drift contact with desirable plants. If drift occurs, wash off foliage immediately with water.

DILUTION TABLE

Amount of GRASS GETTER (concentrate) and Oil concentrate to use.

Water to be Used (gallons)	Amount of Poast		Amount of Oil Concentrate		Coverage In Square Feet
	Fluid Ounces	Tablespoons	Fluid Ounces	Tablespoons	
1	1	2	1	2	1,800
3	3	6	3	6	5,500
5	5	10	5	10	9,100
8	8	16	8	16	14,600

One gallon of spray will treat 1,800 square feet of area.

*To prevent leaf burn of desirable plants, do not use oil concentrate when comfort index (temperature °F + humidity) exceeds 150.

FOR USE ON FLOWERS, BEDDING PLANTS, EVERGREENS, SHRUBS, TREES AND ORNAMENTAL GROUNDCOVERS: GRASS GETTER may be applied "over-the-top" of desirable plants infested by weedy grasses or as a directed spray to weedy grasses when label directions are followed. Do not exceed dosage rate per gallon of spray. See Appendix for tolerant plant listing.

NOTE: This is a specimen label for electronic distribution. Always refer to product label on container for specific directions for use.

Most ornamental species tested have been found tolerant of GRASS GETTER; however, use with caution around the following plants as they may be damaged if foliage is contacted by the spray: Azaleas (var. snow), Japanese Privet, Potentilla, Snow in Summer, Red Oak and White Oak and ornamental grasses.

GRASS GETTER may also be used on the following Non-Bearing food plants. Do not apply within 1 year of harvest.

Apricots	Figs	Plums
Avocados	Nectarines	Pomegranates
Blackberries	Peaches	Prunes
Cherries		

FOR USE ON FRUIT AND VEGETABLE AREAS (Use Only with Tank Type Sprayers): GRASS GETTER may be used on the fruits and vegetables listed in the FRUIT AND VEGETABLE TABLE below. Do not apply on or around any fruit or vegetable not listed on this label, especially sweet corn. Applications on and around tolerant vegetables and fruit should be applied with only a tank type sprayer. A second application may be made to all listed vegetables and fruits except peanut and strawberry.

The quantities presented in the DILUTION TABLE do not exceed the registered rates for the fruits and vegetables listed. Do not exceed the quantities presented.

FRUIT AND VEGETABLE TABLE

CROP	Minimum number of days from last application to harvest
Apple	14
Artichoke (California Only)	7
Asparagus	1
Beans, dry	30
Beans, green	15
Blueberry*	30
Broccoli	30
Cabbage	30
Cantaloupe	14
Carrots	30
Cauliflower	30
Celery	30
Citrus	15
Crabapple	14
Cranberries*	60
Cucumber	14
Eggplant	20
Endive (Florida only)	15
Grape	50
Lentils*	50
Lettuce, head	30
Lettuce, leaf	15
Mint	20
Muskmelon	14
Onion, garlic	30
Peanut+	40
Pear	14
Peas, green	15
Peas, dry	30
Pepper	20
Potato	30
Pumpkin	14
Quince	14
Raspberry	45
Spinach	15
Squash (all)	14
Strawberry+	7
Tomato	20
Watermelon	14

*Not for use in California

+Use no more than one(1) application per season. Up to two (2) applications per season may be made on all other plants

STORAGE AND DISPOSAL

STORAGE: Keep pesticide in original container. Do not put concentrate or dilute spray into food, feed or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area. Do not store diluted spray. **DISPOSAL:** Securely wrap original container in several layers of newspaper and discard in trash. **CONTAINER:** Do not reuse empty bottle. **NOTICE:** Buyer assumes all liability, including personal injury and property damage, which may result from the use of this product in a manner inconsistent with labeling directions. If these terms are not acceptable, return at once unopened.

CONDITIONS OF SALE AND WARRANTY

The Directions For Use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of Lawn and Garden Products, Inc. or the Seller. All such risks shall be assumed by the Buyer.

Lawn and Garden Products, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions For Use, subject to the inherent risks referred to above. Lawn and Garden Products, Inc. makes no other express or implied warranty of fitness or merchantability or any other express or implied warranty. In no case shall Lawn and Garden Products, Inc. or the Seller be liable for consequential, special or

indirect damages resulting from the use or handling of this product. Lawn and Garden Products, Inc. and the Seller offer this product, and the Buyer and user accept it, subject to the foregoing Conditions of Sale and Warranty which may be varied only by agreement in writing signed by a duly authorized representative of Lawn and Garden Products, Inc.

APPENDIX

List of trees, shrubs, evergreens, flowers, ornamentals, bedding plants and ground covers.

Trees

Listed by common name

Acacia, Knife Leaf (<i>Acacia cultriformis</i>)	Guava, Pineapple (<i>Feijoa sellowiana</i>)
Arborvitae, Eastern (var. Teehny) (<i>Thuja occidentalis</i>)	Gum, Blue (<i>Eucalyptus globulus</i>)
Arborvitae, Berkman's, Oriental (<i>Thuja Orientalis</i>)	Gum, Lemon-scented (<i>Eucalyptu citriodera</i>)
Ash, Green (<i>Fraxinus pennsylvanicum</i>)	Gum, Red Box (<i>Eucalyptus polyanthemus</i>)
Ash, Mountain (<i>Sorbus aucuparia</i>)	Hackberry, Common (<i>Celtis occidentalis</i>)
Ash, Mountain (<i>Sorbus americana decora</i>)	Hemlock, Canadian (<i>Tsuga canadensis</i>)
Ash, White (<i>Fraxinus americana</i>)	Holly, Chinese (var. Bufordii, Rotunda) (<i>Ilex cornuta</i>)
Basswood, American (<i>Tilia americana</i>)	Holly, Hybrid (var: Nellie Stevens) (<i>Ilex spares</i>)
Berkman's, Oriental (<i>Thuja orientalis</i>)	Holly, Japanese (var. Convexa, Compacta, Helleri, Hoogendorn) (<i>Ilex crenata</i>)
Birch (<i>Betula sp.</i>)	Holly, Yaupon (<i>Ilex vomitoria</i>)
Birch, Asian White (var. Japonica) (<i>Betula platyphylla</i>)	Ironbark, Red (<i>Eucalyptus sideroxylon</i>)
Birch, European White (<i>Betula pendula</i>)	Jacaranda (<i>Jacaranda acutifolia</i>)
Birch, paper (<i>Betula papyrifolia</i>)	Kentucky Coffee Tree (<i>Gymnocladus dioica</i>)
Birch, River, Black or Red (<i>Betula nigra</i>)	Larch, European (<i>Larix europa</i>)
Black Locust (<i>Robinia pseudoacacia</i>)	Laurel, Indian (<i>Ficus microcarpa nitida</i>)
Bottle brush (<i>Callistemon lanceolatus</i>)	Linden (<i>Tilia americana</i>)
Bottle Tree (<i>Brachychiton populneus</i>)	Linden, Littleleaf (<i>Tilia cordata</i>)
Brisbane Box Tree (<i>Tistania conferta</i>)	Locust, Honey (<i>Gleditsia triacanthos inermis</i>)
Cajeput Tree (<i>Melaleuca quinquenervia</i>)	Loquat (<i>Eriobotrya japonica</i>)
Carob Tree (<i>Ceratonia siliqua</i>)	Magnolia, Southern (<i>Magnolia grandiflora</i>)
Carrot Wood (<i>Cupaniopsis anacardioides</i>)	Maple, Red (<i>Acer rubrum</i>)
Catalpa, Southern (<i>Catalpa bignonioides</i>)	Maple, Japanese (<i>Acer palmatum</i>)
Cherry, Black (<i>Prunus serotina</i>)	Maple, Silver (<i>Acer saccharinum</i>)
Cherry, Carolina (<i>Prunus caroliniana "compacta"</i>)	Mimosa Tree (<i>Albizia julibrissin</i>)
Crabapple, Flowering (var. Dalgo, Radiant, Red Splendor, Royalty, Vanguard, Sylvestris, Domestic) (<i>Malus sp.</i>)	Myoporum (<i>Myoporum laetum</i>)
Cypress, False (<i>Chamaecyparis pisifera</i>)	New Zealand Christmas Tree (<i>Metrosideros excelsus</i>)
Cypress, Leyland (<i>Cupressocyparis leylandii</i>)	Oak (<i>Quercus</i>)
Cypress, Italian (<i>Cupressus sempervirens</i>)	Oak, Water (<i>Quercus nigra</i>)
Dogwood, Flowering (<i>Cornus florida</i>)	Oak, Willow (<i>Quercus phellos</i>)
Dogwood, Silky (<i>Cornus amonum</i>)	Olive Tree (<i>Olea europaea</i>)
Dogwood, Pagoda (<i>Cornus alternifolia</i>)	Olive, Russian (<i>Elaeagnus angustifolia</i>)
Elm, Chinese Evergreen (<i>Ulmus parvifolia</i>)	Orchid Tree, Purple (<i>Bauhinia variegata</i>)
Eucalyptus (<i>Eucalyptus robusta</i>)	Osage Orange (<i>Maclura pomifera</i>)
(<i>Eucalyptus lehmannii</i>)	Palm, Mediterranean fan (<i>Chamaerops humilis</i>)
(<i>Eucalyptus nicholii</i>)	Palm, Pygmy Date (<i>Phoenix roebelenii</i>)
(<i>Eucalyptus granis</i>)	Palm, Queen (<i>Arecastrum romanzoffianum</i>)
Fir (<i>Abies sp.</i>)	Palm, Sago (<i>Cycas revoluta</i>)
Fir, Douglas (<i>Pseudotsuga mensiesii</i>)	Palm, Windmill (<i>Tracheocarpus fortunei</i>)
Fir, Frasier (<i>Abies fraseri</i>)	
Fir, White (<i>Abies concolor</i>)	
Goldenrain Tree (<i>Koelreuteria paniculata</i>)	
Guava (<i>Psidium littorale</i>)	

Trees**Listed by common name (continued)**

Palo Verde, Green (<i>Parkensonia aculeata</i>)	Poplar, Hybrid (<i>Populus alba</i>)
Paulownia, Royal (<i>Paulownia tomentosa</i>)	Poplar, Yellow, Tulip Tree (<i>Liriodendron tulipifera</i>)
Pear, Common (<i>Pyrus communis</i>)	Purpleleaf, Bailey Acacia (<i>Acacia baileyana</i>)
Pear, Evergreen (<i>Pyrus kawakamii</i>)	Redwood, Coast (<i>Sequoia sempervirens</i>)
Pear, Ussurian (<i>Pyrus ussuriensis</i>)	Sandcherry, Western (<i>Prunus beseyi</i>)
Pepper, Brazilian (<i>Schinus terebinthifolius</i>)	Sensitive Plant (<i>Mimosa pudica</i>)
Pine, Aleppo (<i>Pinus halepensis</i>)	Silk Tree (<i>Albizia julibrissin</i>)
Pine, Austrian (<i>Pinus nigra</i>)	Spruce, Black Halls (var: Densata) (<i>Picea glauca</i>)
Pine, Canary Island (<i>Pinus Canariensis</i>)	Spruce, Colorado Blue (<i>Picea pungens</i>)
Pine, Caribbean Slash (<i>Pinus caribean</i>)	Spruce, Norway (<i>Picea abies</i>)
Pine, Italian Stone (<i>Pinus pinea</i>)	Spruce, White (<i>Picea glauca</i>)
Pine, Jack (<i>Pinus banksiana</i>)	Spruce, White (<i>Picea glauca</i>)
Pine, Japanese Black (<i>Pinus thunbergii</i>)	Strawberry Tree (<i>Arbutus unedo</i>)
Pine, Loblolly (<i>Pinus taeda</i>)	Sumac, Standard, African (<i>Rhus lancea</i>)
Pine, Mugho (<i>Pinus mugho</i>)	Sweet Gum (<i>Luquidambar stryaciflus</i>)
Pine, Ponderosa, Western Yellow (<i>Pinus ponderosa</i>)	Sycamore (<i>Platanus occidentalis</i>)
Pine, Red (<i>Pinus resinosa</i>)	Tea Tree, Australian (<i>Leptospermum laevigatum</i>)
Pine, Scotch (<i>Pinus sylvestris</i>)	Tipu Tree (<i>Tipuana tipu</i>)
Pine, Shore (<i>Pinus contra</i>)	Walnut, Black (<i>Juglans nigra</i>)
Pine, Slash (<i>Pinus ellottii</i>)	Weeping Fig, Exotica (<i>Ficus benjamina</i>)
Pine, Southern (<i>Pinus palustris</i>)	Willow (<i>Salix matsudana tortuosa</i>)
Pine, Virginia (<i>Pinus virginiana</i>)	Willow, Australian (<i>Geijera parviflora</i>)
Pine, White (<i>Pinus strobus</i>)	Willow, Desert (<i>Pittosporum phylliraeoides</i>)
Pine, White, Japanese (<i>Pinus parviflora</i>)	Willow, Peppermint (<i>Agonis flexuosa</i>)
Pine, Yew (<i>Pinus Podocarpus macrophyllus</i>)	Yate, Bushy (<i>Eucalyptus lehmannii</i>)
Plum, Wild (<i>Prunus americana</i>)	Yew, English (<i>Taxus baccata</i>)

Shrubs**Listed by common name**

Abelia, Glossy (<i>Abelia grandiflora</i>)	Buckthorn, Glossy, Alder (<i>Rhamnus frangula</i>)
Acacia, Bailey (<i>Acacia baileyana</i>)	Camellia (<i>Camellia japonica</i>)
Acacia, Knife Leaf (<i>Acacia cultriformis</i>)	Camellia (<i>Camellia sasanqua</i>)
Acacia, Prostrate (<i>Acacia redolens</i>)	Cedar, Eastern Red (var. Pyramidiformus canearti) (<i>Juniperus virginiana</i>)
Acacia Sydney Golden Wattle (<i>Acacia longifolia</i>)	Cherry, Brush (<i>Eugenia myrtifolia</i>)
Andromeda (<i>Pieris japonica</i>)	Cherry, Manchu (<i>Prunus tomentosa</i>)
Arborvitae, Oriental (<i>Platycladus orientalis</i>)	Chokecherry sp. (<i>Aronia meloelate</i>)
Arrowwood, Southern (<i>Viburnum dentatum</i>)	Copper Plant, Caribbean (<i>Euphoria cotinifolia</i>)
Azalea, Mollis hybrid (<i>R. x kosterianum</i>)	Cotoneaster, Bearberry (<i>Cotoneaster dammerii</i>)
Azalea, Northern lights hybrid (<i>R. x kosterianum x R. priniphyllum</i>)	Cotoneaster, Cranberry (<i>Cotoneaster apiculata</i>)
Bamboo, Heavenly (<i>Nandina domestica</i>)	Cotoneaster, Peking (<i>Cotoneaster acutifolia</i>)
Barberry, Japanese (<i>Berberis thunbergii</i>)	Coyote Bush (<i>Baccharis pilularis</i>)
Barberry, Korean (<i>Berberis virginian</i>)	Cranberry Bush, American (<i>Viburnum trilobum</i>)
Barberry, Redleaf (<i>Berberis virginian</i>)	Cranberry Bush, Golden (<i>Viburnum opulus aureum</i>)
Bird of Paradise Bush (<i>Caesalpinia gillesil</i>)	Crape Myrtle (<i>Lagestromia indica</i>)
Bluebeard (<i>Caryopteris clandonensis</i>)	Current, Alpine (<i>Ribes alpinum</i>)
Boxwood, Common (<i>Buxus sempervirens</i>)	Dogwood, Red Osler (<i>Cornus stolonifera</i>)
Boxwood, African (<i>Myrsine africana</i>)	Elaeagnus (<i>Elaeagnus umbellata</i>)
Boxwood, Japanese (var. Japonica) (<i>Buxus microphylla</i>)	Escallonia (<i>Escallonia fradesil</i>)

Shrubs**Listed by common name (continued)**

Euonymus, Evergreen (var. Golden, Silver King) (<i>Euonymus japonica</i>)	Myrtle, Dwarf (<i>Myrtus communis compacta</i>)
Euonymus, Winged (<i>Euonymus alata</i>)	Nandina, Heavenly Bamboo (<i>Nandina domestica</i>)
Fig, Creeping (<i>Ficus repens</i>)	Nannyberry (<i>Viburnum lantago</i>)
Firethorn (<i>Pyracantha graberii</i>)	Ninebark (<i>Physocarpus opulifolius</i>)
Forsythia, Greenstem (<i>Forsythia viridissima broxeniss</i>)	Ninebark (var. Aureus) (<i>Physocarpus opulifolius nanus</i>)
Flax, New Zealand (<i>Phormium tenax</i>)	Oleander (<i>Nerium oleander</i>)
Fuschia, Australian (<i>Correa pulchella</i>)	Orchid, rockrose (<i>Cistus purpureus</i>)
Gardenia (<i>Gardenia radicans</i>)	Oregon Grape (<i>Mahonia aquifolium</i>)
Gardenia (var. Mystery, Radicans) (<i>Gardenia augusta</i>)	Osmanthus, Holly-leaf (<i>Osmanthus heterophyllum</i>)
Gardenia (var. Veitchii) (<i>Gardenia jasminoides</i>)	Osmanthus, Sweet Olive (<i>Osmanthus fragrans</i>)
Gold Vine, Guinea (<i>Hibbertia scandens</i>)	Palm, Natal (var. Green Carpet Tuttle) (<i>Carissa grandiflora</i>)
Hakea (<i>Hakea proteacea</i>)	Pampas Grass (<i>Cortaderia selloana</i>)
Hawthorn, Indian (<i>Phaphiolepis indica</i>)	Photinia (<i>Photinia sp.</i>)
Hibiscus, Blue (<i>Aloyogyne huegelli</i>)	Photinia, Fraser (<i>Photinia fraser</i>)
Hibiscus, Chinese (<i>Hibiscus rosa-sinensis</i>)	Pink Lady (<i>Raphiolepis indica</i>)
Holly, Dwarf Burford (<i>Ilex cornuta</i>)	Pink Powder Puff (<i>Calliandra haematocephala</i>)
Honeysuckle, Bush (<i>Diervillea ionicera</i>)	Pittosporum, Variegated Japanese (<i>Pittosporum tobira variegata</i>)
Honeysuckle, Cape (<i>Tecomaria capensis</i>)	Plumbago, Cape (<i>Plumbago capensis</i>)
Hydrangea (<i>Hydrangea sp.</i>)	Podocarpus, Yew (<i>Podocarpus macrophyllum</i>)
Jasmine, Asiatic (<i>Trachelospermum jasminoides</i>)	Princess Flower (<i>Tibouchina urvilleana</i>)
Jasmine, Orange (<i>Murraya paniculata</i>)	Privet (<i>Ligustrum indica</i>)
Jasmine, Star (<i>Trachelospermum jasminoides</i>)	Privet, Glossy (var. Lake tresca) (<i>Ligustrum lucidum</i>)
Jasmine, Winter (<i>Jasmine nudiflorum</i>)	Privet, Japanese, Waxleaf (<i>Ligustrum japonicum</i>)
Jessamine, Carolina (<i>Gelsemium sempervirens</i>)	Privet, Texas (<i>Ligustrum texanum</i>)
Jojoba (<i>Simmondsia chinensis</i>)	Purple Hop Bush (<i>Dodonaea viscosa</i>)
Juniper, Chinese (var. Maney, Old Gold, Pfitzeriana, Sea Green, Hertzii, Nana, Torulosa Pfitzerana Aurea) (<i>Juniperus chinensis</i>)	Pyracantha (<i>Pyracantha graberii</i>)
Juniper, Creeping (var. Bluechip, Huges, Plumosa, Prince of Wales, Webberii, Wiltonii, Bar Harbor, Andorra, Variegata, Youngstown) (<i>Juniperus horizontalis</i>)	Rhododendron - Azalea (var. Hinocrimson, Hershey Red, Coral Blue, Hinodigiri, Christmas Cheer, Pink Ruffle, Formosa Flame, Delaware Valley White, New White) (<i>Rhododendron sp.</i>)
Juniper, Ozark (<i>Juniperus sp.</i>)	Sandcherry, Purpleleaf (<i>Prunus cistenap.</i>)
Juniper, Rocky Mountain (var. Blue Heaven, Welchii, Wishita Blue, Medova, Moffet, Pyramids, Green, Springtime, Admiral) (<i>Juniperus scopulorum</i>)	Serviceberry, Allegheny (<i>Amelanchier laevis</i>)
Juniper, Savin (var. Skandia, Arcadia, Broadmoor, Buffalo, Pepin) (<i>Juniperus sabina</i>)	Serviceberry, Saskatoon (var. Regent) (<i>Amelanchier alnifolia</i>)
Juniper, Shore (var. Compacta) (<i>Juniperus conferta</i>)	Silver King (<i>Euonymus japonica</i>)
Juniper, Tam (var. Tamariseifolia) (<i>Juniperus sabina</i>)	Sky Flower, Brazilian (<i>Duranta stenostachya</i>)
Lantana, Purple Trailing (<i>Lantana montevidensis</i>)	Snowball Bush (<i>Viburnum opulus sterilis</i>)
Laurustinus (<i>Viburnum tinus</i>)	Spindle Tree (<i>Euonymus kiautschovica</i>)
Lemonade Berry (<i>Rhus intergrifolia</i>)	Spirea (<i>Spirea vanhoutteii</i>)
Lilac, Common Purple (<i>Syringa vulgaris prupura</i>)	Spirea (var. Anthony Waterer, Froebellii, Goldflame) (<i>Spirea bumalda</i>)
Liriope, Green (<i>Liriope muscari</i>)	Spirea (var. Fairy Queen) (<i>Spirea trilobataioivica</i>)
Liriope, Variegated (<i>Liriope muscari</i>)	Spirea (var. Snowbound) (<i>Spirca nipponicaioivica</i>)
Mickey Mouse Bush (<i>Ochna serrulate</i>)	Star Plant, Lavender (<i>Grewia caffra</i>)
Mirror Plant (<i>Coprosma repens</i>)	Tea Tree, Australian (<i>Leptospermum laevigatum</i>)
Mock Orange (<i>Pittosporum tobira</i>)	Tea Tree, New Zealand (var. Red Glow) (<i>Leptospermum scoparium</i>)
Mountain Lilac, Carmel Creeper (<i>Ceanothus griseus</i>)	Texas Ranger (<i>Leucophyllum frutescens</i>)

Shrubs

Listed by common name (continued)

Veronica (var. Coed) (<i>Hebe sp.</i>)	Wheeler Dwarf, Variegated (var. Wheller) (<i>Pittosporum tobira</i>)
Viburnum, Japanese (<i>Viburnum japonicum</i>)	Yellow Bells (<i>Tecoma stans</i>)
Viburnum, Sandankwa (<i>Viburnum suspensum</i>)	Yesterday-Today-and-Tomorrow (<i>Brunfelsia calycina</i>)
Wayfaring Tree (<i>Viburnum lantanoides</i>)	Yew (<i>Taxus cuspidataevigatum</i>)
Weeping Fig, Exotica (<i>Ficus benjamina</i>)	

Ornamentals, Bedding Plants

Listed by common name

Alyssum (<i>Alyssum sp.</i>)	Geranium (<i>Geranium sp.</i>)
Asparagus, Myers (var. Meyer) (<i>Asparagus densiflorus</i>)	Geranium, Martha Washington (<i>Pelargonium domesticum</i>)
Asparagus, Sprenger (var: Sprengeri) (<i>Asparagus densiflorus</i>)	Gerbera Daisy (<i>Gerbera jamesonii</i>)
Aster, New York (<i>Aster novi-belgii</i>)	Geum (var. Lady Strathedon, Mrs. Bradshaw, Mrs. Bradshaw Improved) (<i>Geum quellyon</i>)
Aster, Stokes (var. Blue, White) (<i>Stokesia cyanae</i>)	Gladiolus (<i>Gladiolus sp.</i>)
Baby's Breath (var. Bristo Fairy) (<i>Gypsophila paniculata</i>)	Heather, False (<i>Cuphea hyssopifolia</i>)
Begonia (<i>Begonia semperflorens</i>)	Honeysuckle, Amar (<i>Lonicera maachii</i>)
Bellflower, Tussock (var. Canterbury Bells) (<i>Campanula carpatica</i>)	Honeysuckle, Fly (var. Emerald Mound, Clavey's Dwarf) (<i>Lonicera xylosterum</i>)
Bittersweet, American (<i>Celastrus scandens</i>)	Honeysuckle, Japanese (<i>Lonicera japonica</i>)
Black-eyed Susan (var. Goldlocks) (<i>Rudbeckia hirta</i>)	Honeysuckle, Morrow (<i>Lonicera morrowii</i>)
Bleeding Heart (<i>Dicentra spectabilis</i>)	Honeysuckle, Tatarian (var. Zabeli) (<i>Lonicera tatarica</i>)
Bower Vine (<i>Pandorea jasminoides</i>)	Hopseed Bush, Purple (<i>Dodonea viscosa purpurea</i>)
Butterfly Weed (<i>Asclepias tuberosa</i>)	Impatiens (<i>Impatiens sp.</i>)
Cactae, Barrel (<i>Cactus sp.</i>)	Iris (<i>Iris sp.</i>)
Candytuff (<i>Iberis sempervirens</i>)	Iris, African (<i>Dietes bicolor</i>)
Canna (<i>Canna sp.</i>)	Ivy, Grape (var. Ellen Danica) (<i>Cissus rhombifolia</i>)
Cassia, Feathery (<i>Cassia artemisioides</i>)	Jack-in-the-Pulpit (<i>Arisaema pusillum</i>)
Chrysanthemum Marguarite (<i>Chrysanthemum, frutescens</i>) (<i>Chrysanthemum indicum</i>)	Jade Plant (<i>Crassula argentea</i>)
Cockscomb (<i>Celosia argentea</i>)	Jasmine, Madagascar (<i>Stephanotis floribunda</i>)
Coleus (<i>Coleus sp.</i>)	Lamb's Ears (<i>Stachy's lanata</i>)
Coneflower, Purple (var. Gloriosa Dairy) (<i>Echinacea purpurea</i>)	Lavender, English (<i>Lavendula vera</i>)
Coral Bells (<i>Heuchera sanguinea</i>)	Lavender, French (<i>Lavandula dentata</i>)
Coreopsis (var. Sunray) (<i>Coreopsis lanceolata</i>)	Lavender Cotton (<i>Santolina chamaecyparissus</i>)
Cup of Gold Vine (<i>Solandra maxima</i>)	Lilac, Chinese (<i>Syringa chinensis</i>)
Daffodil (<i>Narcissus spp.</i>)	Lilac, Common Purple (var. Charles Joly, Ludwig Spaeth, Jay Tree) (<i>Syringa vulgaris purpurpa</i>)
Dahlia (<i>Dahlia pinnata</i>)	Lilac, Meyer (var. Palibin) (<i>Syringa sp.</i>)
Daisy Bush (<i>Euryops pectinatus</i>)	Lilac, Korean (var. Miss Kim) (<i>Syringa patula</i>)
Daisy, Blue (<i>Felicia amellioides</i>)	Lilac, Mountain (<i>Ceanothus griseus</i>)
Daisy, Shasta (<i>Chrysanthemum maximum</i>)	Lily-of-the-Nile, Peter Pan (<i>Agapanthus africanus</i>)
Daylily (<i>Hemerocallis hybrids</i>)	Lily-of-the-Valley (<i>Convallaria majalis</i>)
Dianthus (<i>Dianthus deltoides</i>)	Lobelia (<i>Lobelia erinus</i>)
Dragonhead, False (<i>Physostegia virginiana</i>)	Marigold (<i>Tagetes sp.</i>)
Dusty Miller (<i>Centaurea cineraria</i>)	Mirror Plant (<i>Coprosma baueri</i>)
Fern, Sprenger Asparagus (<i>Asparagus densiflorus Sprengeri</i>)	Mirror Plant, Varigated (<i>Coprosma repens</i>)
Fescue, Blue (<i>Festuca ovina</i>)	Moneywort (<i>Lysimachia nummularia</i>)
Flowering tobacco (<i>Nicotina sp.</i>)	Moss Rose (<i>Portulaca grandiflora</i>)
Fountain Grass, Red (<i>Pennisetum setaceum</i>)	Moss Sandwort (<i>Arenaria verna</i>)
Gazania (<i>Gazania ringens leucolaena</i>) (<i>Gazania sp.</i>)	

Ornamentals, Bedding Plants

Listed by common name (continued)

Pansy, Jonny-Jump-Up (<i>Viola tricolor</i>)	Statice, Perennial (<i>Limonium perezii</i>)
Pepper, Ornamental (<i>Capsicum sp.</i>)	Stock (<i>Mattiola incana</i>)
Periwinkle, Madagascar (<i>Catharanthus roseus</i>)	Sweet Grass (<i>Acorus gramineus</i>)
Periwinkle (<i>Vinca minor</i>)	Sweet William (<i>Dianthus barbatus</i>)
Petunia (<i>Petunia sp.</i>)	Transvaal Daisy (<i>Gerbera jamesonii</i>)
Phlox, Perennial (<i>Phlox paniculata</i>)	Trumpet Vine, Blood red (<i>Bignonia cherere</i>)
Plantain Lily (<i>Hosta sp.</i>)	Trumpet Vine, Lavender (<i>Bignonia violacea</i>)
Purple Loosestrife (var. Morden's Gleam) (<i>Lythrum virgatum</i>)	Trupmet Vine, Pink (<i>Pandorea rosea</i>)
Raspberry Ice (<i>Bougainvillea sp.</i>)	Tulip (<i>Tulipa spp.</i>)
Sage (<i>Salvia greggii</i>)	Verbena (<i>Verbena sp.</i>)
Sea Pinks, Thrift (<i>Armeria maritima</i>)	Wandering Jew (<i>Trade scantia sp.</i>)
Sedum, Stonecrop (<i>Sedum x rubrotinctum</i>)	Wisteria (<i>Wisteria sinensis</i>)
Shrimp Plant (<i>Justicia brandegeana</i>)	Yarrow (var: Cerise Queen) (<i>Achillea Millefolium</i>)
Sky Flower, Brazilian (<i>Duranta stenostachya</i>)	Yarrow, Debutante (<i>Achillea taygetea v.</i>)
Snail Vine (<i>Vigna caracalla</i>)	Yellow Trumpet (<i>Macfadeyena unguis-cati</i>)
Snapdragon (<i>Antirrhinum majus</i>)	Zinnia (<i>Zinnia elegans</i>)
Speedwell, Spike (<i>Veronica spicata</i>)	

Ground Covers

Listed by common name

Aaron's Beard (<i>Hypericum calycinum</i>)	Ivy, Hahn's (var. Hahnii) (<i>Hedera helix</i>)
Aptenia (var. Red Apple) (<i>Aptenia cordifolia</i>)	Lantana, Lavender (<i>Lantana montevidensis</i>)
Bergenia, Winter-blooming (<i>Bergenia crassifolia</i>)	Lily Turf, Big Blue (<i>Liriope muscari</i>)
Bugleweed (<i>Ajuga reptans</i>)	Lippia (<i>Phyla nodiflora</i>)
Capeweed (<i>Arctotheca calendula</i>)	Mondo Grass (<i>Ophiopogon japonicus</i>)
Carpathian, Harebell (<i>Campanula carpatica</i>)	Myoporum (var: Prostratum) (<i>Myoporum parvifolium</i>)
Cinquefoil, Spring (<i>Potentilla tabernaemontani</i>)	Pachysandra (<i>Pachysandra terminalis</i>)
Coyote Brush (var: Twin Peaks) (<i>Baccharis pilularis</i>)	Periwinkle (<i>Vinca major</i>)
Crown Vetch (<i>Coronilla varia</i>)	Plumbago, Dwarf (<i>Ceratostigma plumbaginoides</i>)
Cushion Bush (<i>Calocephalus brownii</i>)	Pork and Beans (<i>Sedum rubrotinctum</i>)
Daisy, Trailing African, Freeway (<i>Osteospermum</i>)	Rosea Ice Plant (<i>Drosanthemum floribundum</i>)
Daisy, White African (<i>Osteospermum fruticosum alba</i>)	Rosemary, Dwarf (var: Prostratus) (<i>Rosmarinus officinalis</i>)
Gazania, Trailing (<i>Gazania regens leucolaena</i>)	Rupture Wort (<i>Herniaria glabra</i>)
Green Carpet (<i>Herniaria glabra</i>)	St. Johnswort, Creeping (<i>Hypericum calycinum</i>)
Ivy, Algerian (<i>Hedera canaiensis</i>)	Stonecrop, Sedum (<i>Sedum rubrotinctum</i>)
Ivy, Boston (<i>Parthenocissus tricuspidata</i>)	Verbena (<i>Verbena officinalis</i>)
Ivy, English (<i>Hedera helix</i>)	Verbena, Blue (<i>Verbena pervianna</i>)
Ivy, Grape (var. Ellen Danica) (<i>Cissus rhombifolia</i>)	